

## Results

### Proportions

Random-Effects Model (k = 24)

	Estimate	se	Z	p	CI Lower Bound	CI Upper Bound
Intercept	0.413	0.0462	8.94	< .001	0.323	0.504


Note. Tau<sup>2</sup> Estimator: Restricted Maximum-Likelihood

[3]

Heterogeneity Statistics

Tau	Tau <sup>2</sup>	I <sup>2</sup>	H <sup>2</sup>	R <sup>2</sup>	df	Q	p
0.224	0.05 (SE= 0.0151)	99.63%	270.022	.	23.000	3538.812	< .001

### Forest Plot



[3]

### Publication Bias Assessment

Fail-Safe N Analysis (File Drawer Analysis)

Fail-safe N	p
75553.000	< .001

Note. Fail-safe N Calculation Using the Rosenthal Approach


Rank Correlation Test for Funnel Plot Asymmetry

Kendall's Tau	p
0.167	0.268

Regression Test for Funnel Plot Asymmetry

Z	p
1.691	0.091

### Funnel Plot



[3]

## References

- [1] The jamovi project (2021). *jamovi*. (Version 2.2) [Computer Software]. Retrieved from <https://www.jamovi.org>.
- [2] R Core Team (2021). *R: A Language and environment for statistical computing*. (Version 4.0) [Computer software]. Retrieved from <https://cran.r-project.org>. (R packages retrieved from MRAN snapshot 2021-04-01).
- [3] Viechtbauer, W. (2010). Conducting meta-analyses in R with the metafor package. *Journal of Statistical Software*. [link](#), 36, 1-48.